



# MINUTES OF THE MEETING OF IQAC HELD AT LOHIA COLLEGE, ROOM NO. 139 ON 17<sup>th</sup> OCTOBER, 2019

## Agenda of meeting:

- 1. Work distribution of AQAR criterion
- 2. To develop student feedback mechanism
- 3. Water harvesting system
- 4. Roof-top solar system
- 5. To start college canteen
- 6. Library automation
- 7. Urinals facility
- 8. Re constitute the IQAC committee according NAAC's new norms

#### 1. Work distribution of AQAR criterion

It is decided to fill online AQAR for the years 2014-15, 2015-16, 2016-17, 2017-18 and 2018-19. First two years AQAR viz. 2014-15 and 2015-16 were submitted offline mode. The work of data collection from various departments for AQAR from 2014-15 to 2018-19has been allotted among the members. Theinformation regarding Part A of AQAR decided to be furnished by Mr B R Uppadhyay, criterion I of Part B by Dr M K Khardia, Criterion II of Part Bby Dr Sumer Singh, Criterion IIIof Part B by Dr Ravindra Kumar, Criterion IV & VII of Part Bby Dr P K Sharma and Dr A L Kulhari, Criterion Vof Part B by Dr Prashant Kumar and Criterion Vlof Part B by Dr Ummed Singh Gothwal. The last date for collection of data and information was decided 10<sup>th</sup> Nov, 2019.

## 2. To develop student feedback mechanism

In the last meeting, it was decided to prepare a questionnaire for students to fill up feedback. Dr P K Sharma, Dr A L Kulhari, Dr Ravindra Kumar and Mr Ummed Singh Gothwal prepared a format of questionnaire. All the members discussed each and every point and then decided that a software for this format should be prepared. Through this software, which available on college webpage, students will fill up their feedback online.

#### 3. Water harvesting system

For the conservation of rain water there should be two under- ground water tanks (Tanka) in the college premise to store the rain water.

## 4. Roof-top solar system

To meet out the electricity requirements and to address the environment issues, the Roof-top solar system should be installed.

#### 5. To start college canteen

Canteen should be available for students as well as for teaching staff.

## 6. About library automation

Library automation should be done before NAAC inspection team.

#### 7. Urinals facility

Number of urinals for boys must be increased by 15 to 20 and girls by 30 to 35.

## 8. Re constitute the IQAC committee according NAAC's new norms

IQAC should be reconstituted according to norms of NAAC.



**IQAC** 

E-mail: iqaclcc@gmail.com

There being no other points to discuss, the meeting ended with vote of thanks.

The following members were present in the meeting:

- 1. ShDilip Singh Punia, Principal, Chairman IQAC
- 2. Dr A L Kulhari, Associate Professor, IQAC Coordinator
- 3. Dr P K Sharma, Associate Professor, Dept. of Botany
- 4. Dr Ravindea Kumar, Associate Professor, Dept. of Geography
- 5. ShUmmed Singh Gothwal, Associate Professor, Dept. of Hindi
- 6. Dr M K Khardia, Assistant Professor, Dept. of ABST
- 7. Dr Prashant Kumar, Assistant Professor, Dept. of Dept. of Business Administration
- 8. Dr Sumer Singh, Assistant Professor, Dept. of English
- 9. Sh B R Uppadhyay, AAO I

(Dilip Singh Punia) Principal (Dr A L Kulhari) Coordinator, IQAC